


AMENDMENT

In the claims:

1-48. (Cancelled).

49. (Previously presented) A method of treating malaria in a subject which comprises administering to the subject a therapeutically effective amount of a compound having the following structural formula:



50. (Original) The method of claim 49 and further comprising administering an antimalarial.

51. (Previously presented) The method of claim 50, wherein the antimalarial is selected from the group consisting of 8-aminoquinoline, amodiaquine, arteether, artemether, artemsinin, artesunate, artesunic acid, artelinic acid, atovoquone, azithromycine, biguanide, chloroquine, chloroquine phosphate, chlorproguanil, cycloguanil, dapsone, desbutyl halofantrine, desipramine, doxycycline, dihydrofolate reductase inhibitors, dipyridamole, halofantrine, haloperidol, hydroxychloroquine sulfate, imipramine, mefloquine, penfluridol, phospholipid inhibitors, primaquine, proguanil, pyrimethamine, pyronaridine, quinine, quinidine,

52. (Currently amended) The pharmaceutical composition comprising the ingredients of claim 57, and further ~~comprising~~ an additional antimalarial.

53. (Previously presented) The pharmaceutical composition of claim 52, wherein the antimalarial is selected from the group consisting of 8-aminoquinoline, amodiaquine, arteether, artemether, artemsinin, artesunate, artesunic acid, artelinic acid, atovoquone, azithromycine,


biguanide, chloroquine, chloroquine phosphate, chlorproguanil, cycloguanil, dapsone, desbutyl halofantrine, desipramine, doxycycline, dihydrofolate reductase inhibitors, dipyridamole, halofantrine, haloperidol, hydroxychloroquine sulfate, imipramine, mefloquine, penfluridol, phospholipid inhibitors, primaquine, proguanil, pyrimethamine, pyronaridine, quinine, quinidine, quinacrineartemisinin, sulfonamides, sulfones, sulfadoxine, sulfalene, tafenoquine, tetracycline, tetrandine, triazine, and derivatives thereof

54. (Cancelled).

55. (Previously presented) A method of treating malaria in a subject which comprises administering to the subject a therapeutically effective amount of the pharmaceutical composition of claim 52.

56. (Previously presented) A method of treating malaria in a subject which comprises administering to the subject a therapeutically effective amount of the pharmaceutical composition of claim 53.

57. (Previously presented) A pharmaceutical composition comprising a compound having the following structural formula:



and a pharmaceutically acceptable excipient.